

## 8. REFERENCES

Ambrose, R.A., Jr., T.A. Wool, and J.L. Martin. 1995. The water quality analysis simulation program, WASP5. Part A: Model documentation. Athens, GA: U.S. EPA National Exposure Research Laboratory, Ecosystems Division.

ARS (Agricultural Research Service). 1982. Analytical Solutions of the One-dimensional Convective-dispersive Solute Transport Equation. Washington, D.C.: U.S. Department of Agriculture.

Baes, C.F., III, R.D. Sharp, A.L. Sjoreen, and R.W. Shor. 1984. A Review and Analysis of Parameters for Assessing Transport of Environmentally Released Radionuclides Through Agriculture. ORNL-5786. Oak Ridge, TN: Oak Ridge National Laboratory.

Baines, S. B., and M.L. Pace. 1994. Relationships between suspended particulate matter and sinking flux along a trophic gradient and implications for the fate of planktonic primary production. *Canadian Journal of Fisheries and Aquatic Sciences*. 51:25-36.

Bennett, D.H., T.E. McKone, M. Matthies, and W.E. Kastenberg. 1998. General formulation of characteristic travel distance for semivolatile organic chemicals in a multimedia environment. *Environmental Science and Technology*. 32:4023-4030.

Beyer, W.N., E.E. Connor, and S. Gerould. 1994. Estimates of soil ingestion by wildlife. *Journal of Wildlife Management*. 58:375-382.

Briggs, G.G., R.H. Bromilow, A.A. Evans, and M.R. Williams. 1983. Relationships between lipophilicity and the distribution of non-ionised chemicals in barley shoots following uptake by the roots. *Pesticide Science*. 14:492-500.

Briggs, G.G., R.H. Bromilow, and A.A. Evans. 1982. Relationship between lipophilicity and root uptake and translocation of non-ionised chemicals by barley. *Pesticide Science*. 13:495-504.

Calder, W.A., and E.J. Braun. 1983. Scaling of osmotic regulation in mammals and birds. *American Journal of Physiology*. 244:R601-R606.

Chamberlain, A.C. 1970. Interception and retention of radioactive aerosols by vegetation. *Atmospheric Environment* 4: 57-78.

Connell, D.W., and R.D. Markwell. 1990. Bioaccumulation in the soil to earthworm system. *Chemosphere*. 20:91-100.

Covar, A.P. 1976. Selecting the proper reaeration coefficient for use in water quality models. Presented at the U.S. EPA Conference on Environmental Simulation Modeling, April 19-22, Cincinnati, OH.

- Crank, J., N.R. McFarlane, J.C. Newby, G.D. Paterson, and J.B. Pedley. 1981. Diffusion processes in environmental systems. In: Paterson et al. 1991. London: Macmillan Press, Ltd.
- Di Toro, D.M., and J.P. Connolly. 1980. Mathematical Models of Water Quality in Large Lakes, Part 2: Lake Erie. Washington, D.C.: U.S. Environmental Protection Agency. EPA-600/3-80-056; pp. 28-30.
- Efroymson, R.A., B.E. Sample, and G.W. Suter II. 2001. Bioaccumulation of inorganic chemicals by soil from plants: regressions of field data. *Environ. Toxicol. Chem.* 20:2165-2571.
- Gobas, F.A.P.C. 1993. A model for predicting the bioaccumulation of hydrophobic organic-chemicals in aquatic food-webs – application to Lake Ontario. *Ecological Modeling.* 69:1-17.
- Gobas, F.A.P.C., E.J. McNeil, L. Lovettdoust, and G.D. Haffner. 1991. Bioconcentration of chlorinated aromatic-hydrocarbons in aquatic macrophytes. *Environmental Science & Technology.* 25:924-929.
- Hargrove, W.W. 1999. Personal communication. University of Tennessee. January.
- Harner and Bidleman. 1998. Octanol-air coefficient for describing particle/gas partitioning of aromatic compounds in urban air. *Environmental Science and Technology.* 32:1494-1502.
- Hsu, F.C., R.L. Marxmiller, and A.Y.S. Yang. 1990. Study of root uptake and xylem translocation of cinmethylin and related compounds in detopped soybean roots using a pressure chamber technique. *Plant Physiology.* 93:1573-1578.
- Junge, C.E. 1977. Basic considerations about trace constituents in the atmosphere as related to the fate of global pollutants. In: Suffet, I.H., ed. *Fate of Pollutants in the Air and Water Environments.* New York, NY: Wiley and Sons; pp. 7-26.
- Jury, W., W. Spencer, and W. Farmer. 1983. Behavior assessment model for trace organics in soil: I. Model description. *Journal of Environmental Quality.* 12:558-564.
- Karickhoff, S.W. 1981. Semi-empirical estimation of sorption of hydrophobic pollutants on natural sediments and soils. *Chemosphere.* 10:833-846.
- Lasiewski, R.C., and W.A. Calder. 1971. A preliminary allometric analysis of respiratory variables in resting birds. *Respiration Physiology.* 11:152-166.
- Lasiewski, R.C., and W.R. Dawson. 1967. A reexamination of the relation between standard metabolic rate and body weight in birds. *Condor.* 69:12-23.
- Leonard, T.L., G.E. Taylor, Jr., M.S. Gustin, and G.C. J. Fernandez. 1998. Mercury and plants in contaminated soils: 2. Environmental and physiological factors governing mercury flux to the atmosphere. *Environmental Toxicology and Chemistry.* 17:2072-2079.
- Lindberg, S. 1999a. Personal communication. Oak Ridge National Laboratory. January.

- Lindberg, S. 1999b. Personal communication. Oak Ridge National Laboratory. September.
- Lindberg, S.E., T.P. Meyers, G.E. Taylor, Jr., R.R. Turner, and W.H. Schroeder. 1992. Atmosphere-surface exchange of mercury in a forest: results of modeling and gradient approaches. *Journal of Geophysical Research*. 97:2519-2528.
- Mackay, D. 1991. *Multimedia Environmental Models: The Fugacity Approach*. Chelsea, MI: Lewis Publishers.
- Mackay, D., M. Joy, and S. Paterson. 1983a. A quantitative water, air, sediment interaction (QWASI) fugacity model for describing fate of chemicals in lakes. *Chemosphere*. 12:981-997.
- Mackay, D., S. Paterson, and M. Joy. 1983b. A quantitative water, air, sediment interaction (QWASI) fugacity model for describing fate of chemicals in rivers. *Chemosphere*. 12:1193-1208.
- Mackay, D., and P.J. Leinonen. 1975. Rate of evaporation of low-solubility contaminants from water bodies to atmospheres. *Environmental Science and Technology*. 7:611-614.
- Mackay, D., and A.T.K. Yeun. 1983. Mass transfer coefficients correlations of volatilization of organic solutes from water. *Environmental Science and Technology*. 17:211-216.
- McCune, D.C., and T.L. Lauer. 1986. Experimental modeling of the interaction of wet and dry deposition on conifers. In: Lee, S. F., T. Schneider, L. D. Grant, and P. J. Verkerk, eds. *Aerosols: Research, Risk Assessment, and Control Strategies*. Proceedings of the Second U.S.-Dutch International Symposium, Williamsburg, VA; pp. 871-878. May 1985.
- McKone, T.E. 1993a. CalTOX, A Multimedia Total-exposure Model for Hazardous-wastes Sites, Part I: Executive Summary. UCRL-CR-111456PtI. Livermore, CA: Lawrence Livermore National Laboratory.
- McKone, T.E. 1993b. CalTOX, A Multimedia Total-exposure Model for Hazardous-wastes Sites, Part II: The Dynamic Multimedia Transport and Transformation Model. UCRL-CR-111456PtII. Livermore, CA: Lawrence Livermore National Laboratory.
- McKone, T.E. 1993c. CalTOX, A Multimedia Total-exposure Model for Hazardous-waste Sites, Part III: The Multiple-pathway Exposure Model. UCRL-CR-111456PtIII. Livermore, CA: Lawrence Livermore National Laboratory.
- Mill, T., W.R. Mabey, P.C. Bomberger, T.W. Chou, D.G. Herdy, and J.H. Smith. 1982. *Laboratory Protocols for Evaluating the Fate of Organic Chemicals in Air and Water*. EPA-600/3-82-0220. Athens, GA: U.S. Environmental Protection Agency.
- Millington, R.J. and J.M. Quirk. 1961. Permeability of porous solids. *Transactions of the Faraday Society*. 57:1200-1207. In: Wallach, R., W.A. Jury, and W.F. Spencer. 1989. The concept of convective mass transfer for prediction of surface-runoff pollution by soil surface

applied chemicals. Transactions of the American Society of Agricultural Engineers. May-June. 1989.

Muller, H., and G. Prohl. 1993. Ecosys-87: A dynamic model for assessing radiological consequences of nuclear accidents. *Health Physics*. 64:232-252.

Nagy, K.A. 1987. Field metabolic rate and food requirement scaling in mammals and birds. *Ecological Monograph*. 57: 111-128.

Nobel, P.S. 1999. *Physiochemical and Environmental Plant Physiology*. Second Edition. New York, NY: Academic Press.

O'Connor, D.J. 1983. Wind effects on gas-liquid transfer coefficients. *Journal of Environmental Engineering*. 109(9):731-752.

Paterson, S., and D. Mackay. 1995. Interpreting chemical partitioning in soil-plant-air systems with a fugacity model. In: Trapp, S. and J.C. McFarlane, eds. *Plant Contamination: Modeling and Simulation of Organic Chemical Processes*. Boca Raton, FL: Lewis Publishers; pp. 191-214.

Paterson, S., D. Mackay, and A. Gladman. 1991. A fugacity model of chemical uptake by plants from soil and air. *Chemosphere*. 23:539-565.

Post, W.M. 1999. Personal communication. Oak Ridge National Laboratory. January.

Prohl, G., Hoffman, F.O. 1996. Radionuclide interception and loss processes in vegetation. In: *Modeling of Radionuclide Interception and Loss Processes in Vegetation and of Transfer in Semi-natural Ecosystems*. Vienna. IAEA-TECDOC-857, pp. 9-46.

Ribeyre, F., and A. Boudou. 1994. Experimental study of inorganic and methylmercury bioaccumulation by 4 species of fresh-water rooted macrophytes from water and sediment contamination sources. *Ecotoxicology and Environmental Safety*. 28(3):270-286.

Riederer, M. 1995. Partitioning and transport of organic chemicals between the atmospheric environment and leaves. In: S. Trapp and J.C. McFarlane, eds. *Plant Contamination: Modeling and Simulation of Organic Chemical Processes*. Boca Raton, FL: Lewis Publishers; pp. 153-190.

Sample, B.E., G.W. Suter II, J.J. Beauchamp, and R.A. Efrogmson. 1999. Literature-derived bioaccumulation models for earthworms: development and validation. *Environmental Toxicology and Chemistry*. 18:2110-2120.

Schnoor, J.L. 1981. Fate and transport of dieldrin in Coraville Reservoir: residues in fish and water following a pesticide ban. *Science*. 211:840-842.

Schnoor, J.L., and D.C. McAvoy. 1981. A pesticide transport and bioconcentration model. *Journal of Environmental Engineering*. 107:1229-1246.

- Simonich, S.L., and R.A. Hites. 1995. Global distribution of persistent organochlorine compounds. *Science*. 269:1851-1854.
- Smith, S.M. 1993. Black-capped chickadee. In: A. Poole, P. Stettenheim, and F. Gill, eds., *The Birds of North America*. No. 39. Philadelphia, The Academy of Natural Sciences; Washington D.C., The Ornithologists Union.
- Stahl, W.R. 1967. Scaling of respiratory variables in mammals. *Journal of Applied Physiology*. 22:453-460.
- Suter, G.W., II, R.A. Efraymson, B.E. Sample, and D.S. Jones. 2000. *Ecological Risk Assessment for Contaminated Sites*. Boca Raton, FL: Lewis Publishers.
- Thomann, R.V. 1989. Bioaccumulation model of organic-chemical distribution in aquatic food-chains. *Environmental Science and Technology*. 23:699-707.
- Thomann, R.V., J.P. Connolly, and T.F. Parkerton. 1992a. An equilibrium-model of organic-chemical accumulation in aquatic food webs with sediment interaction. *Environmental Toxicology and Chemistry*. 11:615-629.
- Thomann, R.V., J.P. Connolly, and T.F. Parkerton. 1992b. Modeling accumulation of organic chemicals in aquatic food webs. In: Gobas, F.A. and J.A. McCorquodale, eds. *Chemical Dynamics in Fresh Water Ecosystems*. Boca Raton, FL: Lewis Publishers; pp. 153-186.
- Trapp, S. 1995. Model for uptake of xenobiotics into plants. In: Trapp, S. and J.C. McFarlane, eds. *Plant Contamination: Modeling and Simulation of Organic Chemical Processes*. Boca Raton, FL: Lewis Publishers; pp. 107-151.
- Trapp, S., and M. Matthies. 1995. Generic one-compartment model for uptake of organic chemicals by foliar vegetation. *Environmental Science and Technology*. 29:2333-2338.
- Trudel, M., and J.B. Rasmussen. 1997. Modeling the elimination of mercury by fish. *Environmental Science and Technology*. 31:1716-1722.
- Tsivoglou, E.E., and J.R. Wallace. 1972. Characterization of Stream Reaeration Capacity. EPA-R3-72-012. Washington, DC: U.S. Environmental Protection Agency.
- Turner, R. 1998. Personal communication. *Frontier Geosciences*. August.
- U.S. EPA (U.S. Environmental Protection Agency). 2002a. TRIM.FaTE Technical Support Document Volume I: Description of Module. EPA-453/R-02-011a. Research Triangle Park, NC: Office of Air Quality Planning and Standards. September.
- U.S. EPA (U.S. Environmental Protection Agency). 2002b. Evaluation of TRIM.FaTE Volume I: Approach and Initial Findings. EPA-453/R-02-0012. Research Triangle Park, NC: Office of Air Quality Planning and Standards. September.

U.S. EPA (U.S. Environmental Protection Agency). 1999a. The Total Risk Integrated Methodology: TRIM.FaTE Technical Support Document. Volume I: Description of Module. External Review Draft. EPA-453/D-99-002A. Research Triangle Park, NC: Office of Air Quality Planning and Standards. November.

U.S. EPA (U.S. Environmental Protection Agency). 1999b. The Total Risk Integrated Methodology: TRIM.FaTE Technical Support Document. Volume II: Description of Chemical Transport and Transformation Algorithms. External Review Draft. EPA-453/D-99-002B. Research Triangle Park, NC: Office of Air Quality Planning and Standards. November.

U.S. EPA (U.S. Environmental Protection Agency). 1999c. Bioaccumulation and Aquatic System Simulator (BASS) User's Manual Beta Test Version 2.0. Internal Draft as supplied by Craig Barber. Research Triangle Park, NC: Office of Research and Development.

U.S. EPA (U.S. Environmental Protection Agency). 1998a. The Total Risk Integrated Methodology: Technical support document for the TRIM.FaTE module. Draft. EPA-452/D-98-001. Office of Air Quality Planning and Standards.

U.S. EPA (U.S. Environmental Protection Agency). 1998b. AQUATOX for Windows: A Modular Toxic Effects Model for Aquatic Ecosystems. Internal Draft. Washington, D.C.: Office of Pollution Prevention and Toxics.

U.S. EPA (U.S. Environmental Protection Agency). 1997. Mercury Study Report to Congress. Volume III: Fate and Transport of Mercury in the Environment. EPA-452/R-97-005. Research Triangle Park, NC, and Washington, D.C.: Office of Air Quality Planning and Standards and Office of Research and Development.

U.S. EPA (U.S. Environmental Protection Agency). 1993. Wildlife Exposure Factors Handbook, Volume I. EPA/600/R-93/187a. Washington, D.C.: Office of Water and Office of Research and Development. December.

U.S. EPA (U.S. Environmental Protection Agency). 1992. Draft Report: A Cross-Species Scaling Factor for Carcinogen Risk Assessment Based on Equivalence of mg/kg<sup>3/4</sup>/day; Notice. Federal Register. June 5. 57(109): 24152-24173.

van der Leeden, F., F.L. Troise, and D.K. Todd. 1991. The Water Encyclopedia. Chelsea, MI: Lewis Publishers.

van de Water, R.B. 1995. Modeling the transport and fate of volatile and semi-volatile organics in a multimedia environment. Ph.D. Dissertation. Chemical Engineering, University of California, Los Angeles.

Wallach, R., W.A. Jury, and W.F. Spencer. 1989. The concept of convective mass transfer for prediction of surface-runoff pollution by soil surface applied chemicals. Transactions of the American Society of Agricultural Engineers. May-June. 1989.

Wania, F., J. Axelman, and D. Broman. 1998. A review of processes involved in the exchange of persistent organic pollutants across the air-sea interface. *Environmental Pollution*. 102:3-23.

Whicker, F.W., and T.B. Kirchner. 1987. Pathway: A dynamic food-chain model to predict radionuclide ingestion after fallout deposition. *Health Physics*. 52:717-737.

Whitby, K.T. 1978. The physical characteristics of sulfur aerosols. *Atmospheric Environment*. 12:135-159.

Whitman, R.G. 1923. A preliminary experimental confirmation of the two-film theory of gas adsorption. *Chemical and Metallurgical Engineering*. 29:146-148.

Wilmer, C., and M. Fricker. 1996. *Stomata*. Second ed. New York, NY: Chapman and Hall. p. 121.

Wilson, R., and J.D. Spengler, eds. 1996. *Particles in Our Air: Concentrations and Health Effects*. Cambridge, MA: Harvard School of Public Health.

[This page intentionally left blank.]